VACCINATION PROGRAM

IT IS VERY IMPORTANT THAT YOU VACCINATE YOUR FREE RANGE INDIGENOUS CHICKENS EITHER OF FOR EGGS OR MEAT

AGE	DISEASE	METHOD
Day 1	Mareks (Rismavac) IB/ND Live Primer	Subcutaneous injection Eyedrop / course spray
Day 10	ND Live	Drinking water or spray
Day 14	Infectious Bursal Disease (IBD or Gumboro)	Drinking water
Day 20	Infectious Bursal Disease (IBD or Gumboro)	Drinking water
Day 28	ND/IB Lasota - live	Fine spray or eye drop
7 Weeks	Deworming	Water
8 Weeks	ND/IB Lasota - live	Fine spray or eye drop
10 Weeks	ND/IB/EDS Oil Infectious Coryza	SC Injection IM Injection
12 Weeks	ND/IB Lasota - live	Fine spray
14 Weeks	Coryza oil Pox/AE Live MG Live ILT – Live ND/IB Oil	Intramuscular injection Wing Web Eye Drop Eye Drop SC Injection
16 Weeks	ND/IB Lasota – live	Fine spray
20 Weeks	ND/IB Lasota – live	Fine spray
21 Weeks	Deworming	Water

Newcastle Disease - fine spray every 4-6 weeks during laying or growing period

"HEALTHY CHICKENS PRODUCE GOOD EGGS & THEY ARE GOOD TO EAT"